

# Intermediate Programming

## Day 10

# Outline

- Exercise 9
- Pointers
- Review questions

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5] , int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
void print( int table[][3] , int rows , int cols )
{
    for( int r=1 ; r<rows ; r++ )
    {
        for( int c=0 ; c<cols ; c++ )
            printf("%d ", table[r][c]);
        printf("\n");
    }
}

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf( "2nd table:\n" );
    print( two , 5 , 3 );
    printf( "2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

# Exercise 9

- Debug the program in `transpose.c`

# Exercise 9

- Debug the program in transpose.c

```
>> ./transpose
```

```
2nd table:
```

```
0 0 0
```

```
0 0 0
```

```
0 0 0
```

```
0 0 0
```

```
2nd after transpose:
```

```
2 7 12
```

```
3 8 13
```

```
32767 1256225752 0
```

```
0 0 0
```

```
>>
```

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5] , int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
void print( int table[][3] , int rows , int cols )
{
    for( int r=1 ; r<rows ; r++ )
    {
        for( int c=0 ; c<cols ; c++ )
            printf("%d ", table[r][c]);
        printf("\n");
    }
}

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf( "2nd table:\n" );
    print( two , 5 , 3 );
    printf( "2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

# Exercise 9

- Run gdb

```
>> gdb ./transpose
...
(gdb)
```

```
transpose.c

#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
```

```
        printf("%d ", table[r][c]);
        printf("\n");
    }

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf( "2nd table:\n" );
    print( two , 5 , 3 );
    printf( "2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */

```

# Exercise 9

- Add a breakpoint at line 10

```
(gdb) b 10
Breakpoint 1 at 0x401172: file transpose.c, line 10.
(gdb)
```

```
        printf("%d ", table[r][c]);
        printf("\n");
    }

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf( "2nd table:\n" );
    print( two , 5 , 3 );
    printf( "2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
```

# Exercise 9

- Run to the breakpoint

```
(gdb) r
Starting program: /users/misha/transpose
...
2nd table:
0 0 0
0 0 0
0 0 0
0 0 0
2nd after transpose:

Breakpoint 1, transpose (start=0x7fffffffdb0, end=0x7fffffff70) at transpose.c:10
10                      end[r][c] = start[c][r];
...
(gdb)
```

```
return 0;
}
```

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */

```

# Exercise 9

- Display the variables r and c

```
(gdb) display {r,c}
1: {r,c} = {0, 0}
(gdb)
```

```
        printf("%d ", table[r][c]);
        printf("\n");
    }

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf( "2nd table:\n" );
    print( two , 5 , 3 );
    printf( "2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */

```

# Exercise 9

- Display the **start** array

```
(gdb) display {start[0],start[1],start[2]}
2: {start[0],start[1],start[2]} = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}}
(gdb)
```

```
        printf("%d ", table[r][c]);
        printf("\n");
    }
}

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf( "2nd table:\n" );
    print( two , 5 , 3 );
    printf( "2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */

```

# Exercise 9

- Display the `end` array

```
(gdb) display {end[0],end[1],end[2],end[3],end[4]}
3: {end[0],end[1],end[2],end[3],end[4]} = {{0, 0, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}}
(gdb)
```

```
        printf("%d ", table[r][c]);
        printf("\n");
    }
}

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf("2nd table:\n");
    print( two , 5 , 3 );
    printf("2nd after transpose:\n");
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

# Exercise 9

- Continue to the next breakpoint

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
```

```
(gdb) c
Continuing.
```

```
Breakpoint 1, transpose (start=0x7fffffffdfcb0, end=0x7fffffffdc70) at transpose.c:10
10          end[r][c] = start[c][r];
1: {r,c} = {0, 1}
2: {start[0],start[1],start[2]} = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}}
3: {end[0],end[1],end[2],end[3],end[4]} = {{1, 0, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}}
(gdb)
```

```
int two[5][3]={0};

printf("2nd table:\n");
print(two, 5, 3);
printf("2nd after transpose:\n");
transpose(one, two);
print(two, 5, 3);
return 0;
```

# Exercise 9

- Continue to the next breakpoint

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
```

(gdb)

Continuing.

Breakpoint 1, transpose (start=0x7fffffffdfcb0, end=0x7fffffffdc70) at transpose.c:10

10 end[r][c] = start[c][r];

1: {r,c} = {0, 2}

2: {start[0],start[1],start[2]} = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}}

3: {end[0],end[1],end[2],end[3],end[4]} = {{1, 6, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}}

(gdb)

```
int two[5][3]={0};

printf( "2nd table:\n" );
print( two , 5 , 3 );
printf( "2nd after transpose:\n" );
transpose( one , two );
print( two , 5 , 3 );
return 0;
```

# Exercise 9

- Continue to the next breakpoint

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
```

(gdb)

Continuing.

Breakpoint 1, transpose (start=0x7fffffffdfcb0, end=0x7fffffffdc70) at transpose.c:10

10 end[r][c] = start[c][r];

1: {r,c} = {0, 3}

2: {start[0],start[1],start[2]} = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}}

3: {end[0],end[1],end[2],end[3],end[4]} = {{1, 6, 11}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}}

(gdb)

```
int two[5][3]={0};
```

```
printf( "2nd table:\n" );
print( two , 5 , 3 );
printf( "2nd after transpose:\n" );
transpose( one , two );
print( two , 5 , 3 );
return 0;
```

# Exercise 9

- Continue to the next breakpoint

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5], int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[r][c] = start[c][r];
}

/* Print a 2D array of integers */
```

(gdb)

Continuing.

Breakpoint 1, transpose (start=0x7fffffffdfcb0, end=0x7fffffffdc70) at transpose.c:10

10 end[r][c] = start[c][r];

1: {r,c} = {0, 4}

2: {start[0],start[1],start[2]} = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}}

3: {end[0],end[1],end[2],end[3],end[4]} = {{1, 6, 11}, {32767, 0, 0}, {0, 0, 0}, {0, 0, 0}, {0, 0, 0}}

(gdb)

```
int two[5][3]={0};
```

```
printf( "2nd table:\n" );
print( two , 5 , 3 );
printf( "2nd after transpose:\n" );
transpose( one , two );
print( two , 5 , 3 );
return 0;
```

# Exercise 9

- Fix the code and re-run

```
>> ./transpose
2nd table:
0 0 0
0 0 0
0 0 0
0 0 0
2nd after transpose:
2 7 12
3 8 13
4 9 14
5 10 15
>>
```

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5] , int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[c][r] = start[r][c];
}

/* Print a 2D array of integers */
void print( int table[][3] , int rows , int cols )
{
    for( int r=1 ; r<rows ; r++ )
    {
        for( int c=0 ; c<cols ; c++ )
            printf("%d ", table[r][c]);
        printf("\n");
    }
}

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf("2nd table:\n");
    print( two , 5 , 3 );
    printf("2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

# Exercise 9

- Re-run the debugger and identify that we only start printing from the second row.

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5] , int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[c][r] = start[r][c];
}

/* Print a 2D array of integers */
void print( int table[][3] , int rows , int cols )
{
    for( int r=1 ; r<rows ; r++ )
    {
        for( int c=0 ; c<cols ; c++ )
            printf("%d ", table[r][c]);
        printf("\n");
    }
}

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf( "2nd table:\n" );
    print( two , 5 , 3 );
    printf( "2nd after transpose:\n" );
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

# Exercise 9

- Fix the code and re-run

```
>> ./transpose
2nd table:
0 0 0
0 0 0
0 0 0
0 0 0
2nd after transpose:
1 6 11
2 7 12
3 8 13
4 9 14
5 10 15
>>
```

*transpose.c*

```
#include <stdio.h>
#include <string.h>

/* Transpose from a 3x5 array (start) into a 5x3 array (end) of integers.*/
void transpose( int start[][5] , int end[][3] )
{
    int d1 = 3, d2 = 5;
    for( int r=0 ; r<d1 ; r++ )
        for( int c=0 ; c<d2 ; c++ )
            end[c][r] = start[r][c];
}

/* Print a 2D array of integers */
void print( int table[][3] , int rows , int cols )
{
    for( int r=0 ; r<rows ; r++ )
    {
        for( int c=0 ; c<cols ; c++ )
            printf("%d ", table[r][c]);
        printf("\n");
    }
}

int main()
{
    int one[3][5] = {{1, 2, 3, 4, 5}, {6, 7, 8, 9, 10}, {11, 12, 13, 14, 15}};
    int two[5][3] = {0};

    printf("2nd table:\n");
    print( two , 5 , 3 );
    printf("2nd after transpose:\n");
    transpose( one , two );
    print( two , 5 , 3 );
    return 0;
}
```

# Outline

- Exercise 9
- Pointers
- Review questions

# Writing a **swap** function in C

Q: Why doesn't this code work?

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```


```
>> ./a.out
1 2
>>
```

# Writing a **swap** function in C

Q: Why doesn't this code work?

- Variables reside somewhere in memory.

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```




# Writing a **swap** function in C

Q: Why doesn't this code work?

- Variables reside somewhere in memory.
- When **main** is compiled, its variables are bound to a memory location.

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```




# Writing a **swap** function in C

Q: Why doesn't this code work?

- Variables reside somewhere in memory.
- When **main** is compiled, its variables are bound to a memory location.
- When we call **swap**, the arguments are duplicated (to a new memory location).

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```




# Writing a **swap** function in C

Q: Why doesn't this code work?

- Variables reside somewhere in memory.
- When **main** is compiled, its variables are bound to a memory location.
- When we call **swap**, the arguments are duplicated (to a new memory location).

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```




# Writing a **swap** function in C

Q: Why doesn't this code work?

- Variables reside somewhere in memory.
- When **main** is compiled, its variables are bound to a memory location.
- When we call **swap**, the arguments are duplicated (to a new memory location).

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```




# Writing a **swap** function in C

Q: Why doesn't this code work?

- Variables reside somewhere in memory.
- When **main** is compiled, its variables are bound to a memory location.
- When we call **swap**, the arguments are duplicated (to a new memory location).

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```




# Writing a **swap** function in C

Q: Why doesn't this code work?

- Variables reside somewhere in memory.
- When **main** is compiled, its variables are bound to a memory location.
- When we call **swap**, the arguments are duplicated (to a new memory location).  
⇒ **swap** has a copy of the variables, so changes to the variables in **swap** are invisible to **main**.

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( a , b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```



# Writing a **swap** function in C

Q: Why doesn't this code work?


- Variables reside somewhere in memory.
- When **main** is compiled, its variables are bound to a memory location.

```
#include <stdio.h>
void swap( int x , int y )
{
    int temp = x;
    x = y;
    y = temp;
}
```

Recall the stack frame:

- In addition to storing who call the function, a stack frame also stores the (local) variables used by the function.
- This is why the variables **x**, **y**, and **temp** “disappear” after we return from the **swap** function.

More on how memory is laid out and non-local variables later.



# Pointers

- A *pointer* is a variable that stores a memory address/location
  - Every pointer points to a specific data type  
(except a pointer to `void`, more on that later)
    - Describes “what kind of variable resides at this memory address/location”
  - Declare a pointer using type of variable it will point to, and a “`*`”:
    - `int * iP` is a pointer to an `int`
    - `double* dP` is a pointer to a `double`
    - `char * cP` is a pointer to a `char`
- Operations related to pointers
  - variable to pointer: operator “`&`” – **where** in memory is the variable stored?
  - pointer to variable: operator “`*`” – **what** is stored at the memory location?

# Pointers

- A *pointer* is a variable that stores a memory address/location
    - Every pointer points to a specific data type  
(except a pointer to **void**, more on that later)
      - Describes “what kind of variable resides at this memory address/location”
    - Declare a pointer using type of variable it will point to, and a “**\***”:
      - “**int \* iP**” is a pointer to an **int**
      - “**double\* dP**” is a pointer to a **double**
      - “**char \* cP**” is a pointer to a **char**
- (Note that spaces are not important)


## Note:

When declaring a pointer, the “**\***” needs to be associated with the variable name, not the type

- **int \* a , b;**       $\Leftrightarrow$       declares a pointer to an **int** called **a** and an **int** called **b**
- **int \* a , \* b;**       $\Leftrightarrow$       declares a pointer to an **int** called **a** and a pointer to an **int** called **b**


# Pointers

```
#include <stdio.h>
int main( void )
{
    int x = 1 , y = 2;// ints
    int *iP;          // a pointer to an int
    iP = &x;          // iP points to x
    y = *iP;          // y has the value of what iP points to (x)
    *iP = 0;          // what iP points to (x) has value 0
    printf( "%d %d\n" , x , y );
    return 0;
}
```




# Pointers

```
#include <stdio.h>
int main( void )
{
    int x = 1 , y = 2;// ints
    int *iP;          // a pointer to an int
    iP = &x;          // iP points to x
    y = *iP;          // y has the value of what iP points to (x)
    *iP = 0;          // what iP points to (x) has value 0
    printf( "%d %d\n" , x , y );
    return 0;
}
```




# Pointers

```
#include <stdio.h>
int main( void )
{
    int x = 1 , y = 2;// ints
    int *iP;          // a pointer to an int
    iP = &x;           // iP points to x
    y = *iP;          // y has the value of what iP points to (x)
    *iP = 0;          // what iP points to (x) has value 0
    printf( "%d %d\n" , x , y );
    return 0;
}
```




# Pointers

```
#include <stdio.h>
int main( void )
{
    int x = 1 , y = 2;// ints
    int *iP;          // a pointer to an int
    iP = &x;          // iP points to x
    y = *iP;          // y has the value of what iP points to (x)
    *iP = 0;          // what iP points to (x) has value 0
    printf( "%d %d\n" , x , y );
    return 0;
}
```




# Pointers

```
#include <stdio.h>
int main( void )
{
    int x = 1 , y = 2;// ints
    int *iP;          // a pointer to an int
    iP = &x;          // iP points to x
    y = *iP;          // y has the value of what iP points to (x)
    *iP = 0;          // what iP points to (x) has value 0
    printf( "%d %d\n" , x , y );
    return 0;
}
```



# Pointers


```
#include <stdio.h>
int main( void )
{
    int x = 1 , y = 2;// ints
    int *iP;          // a pointer to an int
    iP = &x;          // iP points to x
    y = *iP;          // y has the value of what iP points to (x)
    *iP = 0;          // what iP points to (x) has value 0
    printf( "%d %d\n" , x , y );
    return 0;
}
```



# Pointers

```
#include <stdio.h>
int main( void )
{
    int x = 1 , y = 2;// ints
    int *iP;          // a pointer to an int
    iP = &x;          // iP points to x
    y = *iP;          // y has the value of what iP points to (x)
    *iP = 0;          // what iP points to (x) has value 0
    printf( "%d %d\n" , x , y );
    return 0;
}
```

```
>> ./a.out
0 1
>>
```



# A working `swap` function

- The call in `main` is now `swap( &a , &b )` since we pass the addresses of `a` and `b`
- Pointer arguments allow `swap` to access and modify values in `main`


```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```

```
>> ./a.out
2 1
>>
```

# A working `swap` function

- The call in `main` is now `swap( &a , &b )` since we pass the addresses of `a` and `b`
- Pointer arguments allow `swap` to access and modify values in `main`


```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```



# A working **swap** function

- The call in **main** is now **swap( &a , &b )** since we pass the addresses of **a** and **b**
- Pointer arguments allow **swap** to access and modify values in **main**


```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```



# A working `swap` function

- The call in `main` is now `swap( &a , &b )` since we pass the addresses of `a` and `b`
- Pointer arguments allow `swap` to access and modify values in `main`


```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```



# A working `swap` function

- The call in `main` is now `swap( &a , &b )` since we pass the addresses of `a` and `b`
- Pointer arguments allow `swap` to access and modify values in `main`


```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```



# A working `swap` function

- The call in `main` is now `swap( &a , &b )` since we pass the addresses of `a` and `b`
- Pointer arguments allow `swap` to access and modify values in `main`


```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```



# A working `swap` function

- The call in `main` is now `swap( &a , &b )` since we pass the addresses of `a` and `b`
- Pointer arguments allow `swap` to access and modify values in `main`

```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```




# A working `swap` function

- The call in `main` is now `swap( &a , &b )` since we pass the addresses of `a` and `b`
- Pointer arguments allow `swap` to access and modify values in `main`

```
#include <stdio.h>
void swap( int *px , int *py )
{
    int temp = *px;
    *px = *py;
    *py = temp;
}
int main( void )
{
    int a = 1 , b = 2;
    swap( &a , &b );
    printf( "%d %d\n" , a , b );
    return 0;
}
```

```
>> ./a.out
2 1
>>
```



# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.

```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 };
    int *v2 = v1;
    v1[0] = 1;
    v2[1] = 2;
    printf( "%d %d %d\n" , *v1 , v1[1] , v1[2] );
    printf( "%d %d %d\n" , *v2 , v2[1] , v2[2] );
    return 0;
}
```




memory

# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.


```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 };
    int *v2 = v1;
    v1[0] = 1;
    v2[1] = 2;
    printf( "%d %d %d\n" , *v1 , v1[1] , v1[2] );
    printf( "%d %d %d\n" , *v2 , v2[1] , v2[2] );
    return 0;
}
```



# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.


```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 };
    int *v2 = v1;
    v1[0] = 1;
    v2[1] = 2;
    printf( "%d %d %d\n" , *v1 , v1[1] , v1[2] );
    printf( "%d %d %d\n" , *v2 , v2[1] , v2[2] );
    return 0;
}
```



# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.


```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 };
    int *v2 = v1;
    v1[0] = 1;
    v2[1] = 2;
    printf( "%d %d %d\n" , *v1 , v1[1] , v1[2] );
    printf( "%d %d %d\n" , *v2 , v2[1] , v2[2] );
    return 0;
}
```



# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.

```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 };
    int *v2 = v1;
    v1[0] = 1;
    v2[1] = 2;
    printf( "%d %d %d\n" , *v1 , v1[1] , v1[2] );
    printf( "%d %d %d\n" , *v2 , v2[1] , v2[2] );
    return 0;
}
```




# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.

```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 };
    int *v2 = v1;
    v1[0] = 1;
    v2[1] = 2;
    printf( "%d %d %d\n" , *v1 , v1[1] , v1[2] );
    printf( "%d %d %d\n" , *v2 , v2[1] , v2[2] );
    return 0;
}
```

```
>> ./a.out
1 2 2
1 2 2
>>
```



# Pointer access

- In C, nothing can reside at memory address 0.

⇒ The null pointer is a special pointer defined to point to address 0.

- The variable **NULL** is defined to be a pointer to address 0.
- This is often returned when a function that is meant to return a pointer fails.

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    FILE *fp = fopen( "misha.txt" , "r" );
    if( fp==NULL )
    {
        fprintf( stderr , "[ERROR] ..." );
        return 1;
    }
    return 0;
}
```

# Pointer access

- In C, nothing can reside at memory address 0.  
⇒ The null pointer is a special pointer defined to point to address 0.
  - The variable **NULL** is defined to be a pointer to address 0.
  - This is often returned when a function that is meant to return a pointer fails.

Since **NULL** is the same as zero, we can just check if **fp** is zero.

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    FILE *fp = fopen( "misha.txt" , "r" );
    if( !fp )
    {
        fprintf( stderr , "[ERROR] ..." );
        return 1;
    }
    return 0;
}
```

# Pointer access

- In C, nothing can reside at memory address 0.  
⇒ The null pointer is a special pointer defined to point to address 0.
  - The variable **NULL** is defined to be a pointer to address 0.
  - This is often returned when a function that is meant to return a pointer fails.
  - Trying to access an entry at the zero address will cause bad behavior so make sure to check that a pointer is valid before trying to use it.

```
#include <stdio.h>
int main( void )
{
    int *arr = NULL;
    printf( "Value = %d\n" , arr[0] );
    return 0;
}
```

```
>> ./a.out
Segmentation fault (core dumped)
>>
```

# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.

```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 };
    int *v2 = v1;
    printf( "%d\n" , (int)(v2-v1) );
    printf( "%p %p\n" , (void*)v1 , (void*)v2 );
    return 0;
}
```

```
>> ./a.out
0
0x7fff6783e980 0x7fff6783e980
>>
```

The “`0x`” prefix indicates that the number is represented in hexadecimal notation (base 16).\*

\*More on this later

# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.
  - The big difference is how `sizeof` behaves within the body where the (static) array is defined.
    - The array has `sizeof` 16 bytes since it consists of four 4-byte integers
    - The pointer has `sizeof` 8 since memory addresses are 8 bytes long on 64-bit architectures.

```
#include <stdio.h>
int main( void )
{
    int v1[] = { 0 , 1 , 2 , 3 };
    int *v2 = v1;
    printf( "%d %d\n" ,
            (int)sizeof( v1 ) ,
            (int)sizeof( v2 ) );
    return 0;
}
```

```
>> ./a.out
16 8
>>
```

# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.
  - The big difference is how `sizeof` behaves within the body where the (static) array is defined.
  - If you pass the array to a function it gets “downgraded” to a pointer.

```
#include <stdio.h>
void print_size( const int *a )
{
    printf( "%d\n" , (int)sizeof( a ) );
}
int main( void )
{
    int v1[] = { 0 , 1 , 2 , 3 };
    int *v2 = v1;
    print_size( v1 );
    print_size( v2 );
    return 0;
}
```

```
>> ./a.out
8
8
>>
```

# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.
  - The big difference is how `sizeof` behaves within the body where the (static) array is defined.
  - If you pass the array to a function it gets “downgraded” to a pointer.

```
#include <stdio.h>
void print_size( const int a[] )
{
    printf( "%d\n" , (int)sizeof( a ) );
}
int main( void )
{
    int v1[] = { 0 , 1 , 2 , 3 };
    int *v2 = v1;
    print_size( v1 );
    print_size( v2 );
    return 0;
}
```

```
>> ./a.out
8
8
>>
```

# Pointers vs. arrays

- For the most part, pointers and arrays are the same thing.
  - The big difference is how `sizeof` behaves within the body where the (static) array is defined.
  - If you pass the array to a function it gets “downgraded” to a pointer.

```
#include <stdio.h>
void print_size( const int a[4] )
{
    printf( "%d\n" , (int)sizeof( a ) );
}
int main( void )
{
    int v1[] = { 0 , 1 , 2 , 3 };
    int *v2 = v1;
    print_size( v1 );
    print_size( v2 );
    return 0;
}
```


```
>> ./a.out
8
8
>>
```

# Returning an array in C

Q: Why doesn't this code work?

```
#include <stdio.h>
int * getArray3( void )
{
    int a[3];
    for( int i=0 ; i<3 ; i++ ) a[i] = 1;
    return a;
}
int main( void )
{
    int *list = NULL;
    list = getArray3();
    for( int i=0 ; i<3 ; i++ )
        printf( "%d " , list[i] );
    printf( "\n" );
    return 0;
}
```

```
>> ./a.out
Segmentation fault (core dumped)
>>
```




# Returning an array in C

Q: Why doesn't this code work?

```
#include <stdio.h>
int * getArray3( void )
{
    int a[3];
    for( int i=0 ; i<3 ; i++ ) a[i] = 1;
    return a;
}

int main( void )
{
    int *list = NULL;
    list = getArray3();
    for( int i=0 ; i<3 ; i++ )
        printf( "%d " , list[i] );
    printf( "\n" );
    return 0;
}
```




# Returning an array in C

Q: Why doesn't this code work?

```
#include <stdio.h>
int *getArray3( void )
{
    int a[3];
    for( int i=0 ; i<3 ; i++ ) a[i] = 1;
    return a;
}


int main( void )
{
    int *list = NULL;
    list = getArray3();
    for( int i=0 ; i<3 ; i++ )
        printf( "%d " , list[i] );
    printf( "\n" );
    return 0;
}
```



# Returning an array in C

Q: Why doesn't this code work?


```
#include <stdio.h>
int *getArray3( void )
{
    int a[3];
    for( int i=0 ; i<3 ; i++ ) a[i] = 1;
    return a;
}
int main( void )
{
    int *list = NULL;
    list = getArray3();
    for( int i=0 ; i<3 ; i++ )
        printf( "%d " , list[i] );
    printf( "\n" );
    return 0;
}
```



# Returning an array in C

Q: Why doesn't this code work?

```
#include <stdio.h>
int *getArray3( void )
{
    int a[3];
    for( int i=0 ; i<3 ; i++ ) a[i] = 1;
    return a;
}
int main( void )
{
    int *list = NULL;
    list = getArray3();
    for( int i=0 ; i<3 ; i++ )
        printf( "%d " , list[i] );
    printf( "\n" );
    return 0;
}
```



# Returning an array in C


Q: Why doesn't this code work?

A: Recall that `a` lives on the stack frame of `getArray3`.

When `list` is assigned the address `a`, that stack frame no longer exists on the call stack, so the address is no longer valid.

```
#include <stdio.h>
int *getArray3( void )
{
    int a[3];
    for( int i=0 ; i<3 ; i++ ) a[i] = 1;
    return a;
}

int main( void )
{
    int *list = NULL;
    list = getArray3();
    for( int i=0 ; i<3 ; i++ )
        printf( "%d " , list[i] );
    printf( "\n" );
    return 0;
}
```



# Outline

- Exercise 9
- Pointers
- Review questions

# Review questions

1. What is a pointer?

A pointer is a type describing a location in memory (as well as the type being stored there)

# Review questions

2. If `a` is an `int` variable and `p` is a variable whose type is *pointer-to-int*, how do you make `p` point to `a`?

`p = &a;`

# Review questions

3. If **p** is a *pointer-to-int* variable that points to an **int** variable **a**, how can you access the value of **a** or assign a value to **a** without directly referring to **a**? Show examples of printing the value of **a** and modifying the value of **a**, but without directly referring to **a**.

`*p = 5;`

# Review questions

4. When calling `scanf`, why do you need to put a & symbol in front of a variable in which you want `scanf` to store an input value?

We pass the address of the variable we want `scanf` to set so that it can make changes to the variable (not its copy)

# Review questions

5. Trace the program below and determine what the output will be.

```
int func( float ra[], float x , float *y )
{
    ra[0] += 10;
    x *= 20;
    *y += 30;
    return 40;
}
int main( void )
{
    float a = 1;
    float b = 2;
    float c[] = { 3 , 4 , 5 , 6 };
    float d;
    d = func( c , a , &b );
    printf( "%f, %f, %f, %d\n" , a , b , c[0] , d );
}
```

```
>> ./a.out
1.000000, 32.000000, 13.000000, -2126392028
>>
```

# Exercise 4-1

- Website -> Course Materials -> Ex4-1