

Intermediate Programming

Day 12

Outline

- Exercise 11
- Pointer operations
- Dynamic 2D arrays
- Pointers and **const**
- Review questions

Exercise 11

pairwise_sum.c:
valgrind to the rescue

```
>> valgrind --leak-check=full --show-leak-kinds=all ./a.out
...
==2131554== Command: ./a.out
==2131554==
==2131554== Invalid write of size 4
==2131554==     at 0x40120E: pairwise_sum (pairwise_sum.c:35)
==2131554==     by 0x4012B5: main (pairwise_sum.c:50)
==2131554== Address 0x4a8d050 is 0 bytes after a block of size 16 alloc'd
==2131554==     at 0x484186F: malloc (vg_replace_malloc.c:381)
==2131554==     by 0x4011A2: pairwise_sum (pairwise_sum.c:28)
==2131554==     by 0x4012B5: main (pairwise_sum.c:50)
==2131554==
...
```

Exercise 11

pairwise_sum.c:
valgrind to the rescue

```
>> valgrind --leak-check=full --show-leak-kinds=a
...
==2131554== Command: ./a.out
==2131554==
==2131554== Invalid write of size 4
==2131554==     at 0x40120E: pairwise_sum (pairwise_sum.c:35)
==2131554==     by 0x4012B5: main (pairwise_sum.c:50)
==2131554== Address 0x4a8d050 is 0 bytes after a block of size 16 alloc'd
==2131554==     at 0x484186F: malloc (vg_replace_malloc.c:381)
==2131554==     by 0x4011A2: pairwise_sum (pairwise_sum.c:28)
==2131554==     by 0x4012B5: main (pairwise_sum.c:50)
==2131554==
...
...
```

pairwise_sum.c

```
...
23. int *pairwise_sum( int *array , int length ){
...
28.     int *fresh = malloc( sizeof(int) * ( length-1 ) );
...
32.     // do the pairwise sum into "fresh"
33.     for( int i=0 ; i<length ; i++ )
34.     {
35.         fresh[i] = array[i] + array[i+1];
36.     }
37.     return fresh;
38. }
```

Exercise 11

pairwise_sum.c:
valgrind to the rescue

```
>> valgrind --leak-check=full --show-leak-kinds=a
...
==2131554== Command: ./a.out
==2131554==
==2131554== Invalid write of size 4
==2131554==     at 0x40120E: pairwise_sum (pairwise_sum.c:35)
==2131554==     by 0x4012B5: main (pairwise_sum.c:50)
==2131554== Address 0x4a8d050 is 0 bytes after a block of size 16 alloc'd
==2131554==     at 0x484186F: malloc (vg_replace_malloc.c:381)
==2131554==     by 0x4011A2: pairwise_sum (pairwise_sum.c:28)
==2131554==     by 0x4012B5: main (pairwise_sum.c:50)
==2131554==
...

```

```
...
23. int *pairwise_sum( int *array , int length ){
...
28.     int *fresh = malloc( sizeof(int) * ( length-1 ) );
...
32.     // do the pairwise sum into "fresh"
33.     for( int i=0 ; i<length ; i++ )
34.     {
35.         fresh[i] = array[i] + array[i+1];
36.     }
37.     return fresh;
38. }
```

Exercise 11

pairwise_sum.c:
valgrind to the rescue

```
>> valgrind --leak-check=full --show-leak-kinds=a
...
==2186254== HEAP SUMMARY:
==2186254==     in use at exit: 16 bytes in 1 blocks
==2186254== total heap usage: 4 allocs, 3 frees, 1,068 bytes allocated
==2186254==
==2186254== LEAK SUMMARY:
==2186254==     definitely lost: 16 bytes in 1 blocks
==2186254==     indirectly lost: 0 bytes in 0 blocks
==2186254==     possibly lost: 0 bytes in 0 blocks
==2186254==     still reachable: 0 bytes in 0 blocks
==2186254==           suppressed: 0 bytes in 0 blocks
==2186254== Rerun with --leak-check=full to see details of leaked memory
==2186254==
...
```

pairwise_sum.c

```
...
23. int *pairwise_sum( int *array , int length ){
...
28.     int *fresh = malloc( sizeof(int) * ( length-1 ) );
...
32.     // do the pairwise sum into "fresh"
33.     for( int i=0 ; i<length-1 ; i++ )
34.     {
35.         fresh[i] = array[i] + array[i+1];
36.     }
37.     return fresh;
38. }
```

Exercise 11

pairwise_sum.c:
valgrind to the rescue

```
>> valgrind --leak-check=full --show-leak-kinds=a
...
==2186254== HEAP SUMMARY:
==2186254==     in use at exit: 16 bytes in 1 blocks
==2186254== total heap usage: 4 allocs, 3 frees
==2186254==
==2186254== LEAK SUMMARY:
==2186254==     definitely lost: 16 bytes in 1 blocks
==2186254==     indirectly lost: 0 bytes in 0 blocks
==2186254==     possibly lost: 0 bytes in 0 blocks
==2186254==     still reachable: 0 bytes in 0 blocks
==2186254==           suppressed: 0 bytes in 0 blocks
==2186254== Rerun with --leak-check=full to see details of leaked memory
==2186254==
...
```

```
...
23. int *pairwise_sum( int *array , int length ){
...
28.     int *fresh = malloc( sizeof(int) * ( length-1 ) );
...
38. }
...
49. int main(){
...
52.     int *pairsum1 = pairwise_sum(array, 5);
...
57.     free(pairsum1);
58.
59.     int *pairsum2 = pairwise_sum(pairwise_sum(array, 5), 4);
60.
...
63.     free(pairsum2);
64.
65.     return 0;
66. }
```

Exercise 11

`pairwise_sum.c:`
`valgrind` to the rescue

```
>> valgrind --leak-check=full --show-leak-kinds=a
...
==2192565== HEAP SUMMARY:
==2192565==     in use at exit: 0 bytes in 0 blocks
==2192565== total heap usage: 3 allocs, 3 frees, 1,052 bytes allocated
==2192565==
==2192565== All heap blocks were freed -- no leaks are possible
...
```

pairwise_sum.c

```
...
23. int *pairwise_sum( int *array , int length ){
...
28.     int *fresh = malloc( sizeof(int) * ( length-1 ) );
...
38. }
...
49. int main(){
...
52.     int *pairsum1 = pairwise_sum(array, 5);
...
57.     free(pairsum1);
58.     pairsum1 = pairwise_sum(array, 5);
59.     int *pairsum2 = pairwise_sum(pairsum1, 4);
60.     free(pairsum1);
...
63.     free(pairsum2);
64.
65.     return 0;
66. }
```

Exercise 11

primes.c:

valgrind to the rescue

```
>> valgrind --leak-check=full --show-leak-kinds=all ./a.out
...
==2193150== Invalid read of size 4
==2193150==     at 0x4012DD: main (primes.c:64)
==2193150==   Address 0x4b6e070 is 9,808 bytes inside a block of size 10,240 free'd
==2193150==     at 0x48466AF: realloc (vg_replace_malloc.c:1437)
==2193150==     by 0x40122A: set_primes (primes.c:44)
==2193150==     by 0x4012AC: main (primes.c:62)
==2193150== Block was alloc'd at
==2193150==     at 0x48466AF: realloc (vg_replace_malloc.c:1437)
==2193150==     by 0x40122A: set_primes (primes.c:44)
==2193150==     by 0x4012AC: main (primes.c:62)
...
...
```

Exercise 11

primes.c:

valgrind to the rescue!

```
>> valgrind --leak-check=full --show-leak-kinds=all ./primes
...
==2193150== Invalid read of size 4
==2193150==   at 0x4012DD: main (primes.c:67)
==2193150== Address 0x4b6e070 is 9,808 bytes inside a block of size 10,240 free'd
==2193150==   at 0x48466AF: realloc (vg_replace_malloc.c:1437)
==2193150==   by 0x40122A: set_primes (primes.c:44)
==2193150==   by 0x4012AC: main (primes.c:62)
==2193150== Block was alloc'd at
==2193150==   at 0x48466AF: realloc (vg_replace_malloc.c:1437)
==2193150==   by 0x40122A: set_primes (primes.c:44)
==2193150==   by 0x4012AC: main (primes.c:62)
...

```

```
...
32. int set_primes( int *list , int capacity ){
33.     int idx;
...
44.             list = realloc( list , capacity * sizeof(int) );
...
49.         return idx;
50. }
...
53. int main(){
...
57.     int *list = malloc(capacity * sizeof(int));
...
62.     int prime_count = set_primes( list , capacity );
63.     printf( "Found %d primes in the range [2,%d]\n" , prime_count , MAX_CANDIDATE );
64.     printf( "First and last primes are %d and %d\n" , list[0] , list[ prime_count-1 ] );
...
67. }
```

Exercise 11

primes.c:

valgrind to the rescue!

```
>> valgrind --leak-check=full --show-leak-kinds=all ./primes
...
==2193150== Invalid read of size 4
==2193150==   at 0x4012DD: main (primes.c:67)
==2193150== Address 0x4b6e070 is 9,808 bytes inside a block of size 10,240 free'd
==2193150==   at 0x48466AF: realloc (vg_replace_malloc.c:1437)
==2193150==     by 0x40122A: set_primes (primes.c:44)
==2193150==     by 0x4012AC: main (primes.c:62)
==2193150== Block was alloc'd at
==2193150==   at 0x48466AF: realloc (vg_replace_malloc.c:1437)
==2193150==     by 0x4011E0: main (primes.c:53)
==2193150==     by 0x4011D9: main (primes.c:53)
...
...
```


...

```
...
32. int set_primes( int *list , int capacity ){
33.     int idx;
...
44.             list = realloc( list , capacity * sizeof(int) );
...
49.         return idx;
50. }
...
53. int main() {
...
57.     int *list = malloc(capacity * sizeof(int));
...
62.     int prime_count = set_primes( list , capacity );
63.     printf( "Found %d primes in the range [2,%d]\n" , prime_count , MAX_CANDIDATE );
64.     printf( "First and last primes are %d and %d\n" , list[0] , list[ prime_count-1 ] );
...
67. }
```

...

The problem is that in line 44, the value of `list` can change (if `realloc` cannot extend the memory).
 But the `main` function doesn't know this. (It's copy of `list` does not change).


Exercise 11



primes.c


```
...
32. int set_primes( int *list , int cap ){
33.     int idx=0;
...
44.             list = realloc( list , cap * sizeof(int) );
...
49.         return idx;
50. }
...
53. int main(){
...
57.     int *list = malloc( cap * sizeof(int) );
...
62.     int count = set_primes( list , cap );
...
67. }
```

Exercise 11



```
...  
32. int set_primes( int *list , int cap ){  
33.     int idx=0;  
...  
44.             list = realloc( list , cap * sizeof(int) );  
...  
49.         return idx;  
50. }  
...  
53. int main(){  
...  
57.     int *list = malloc( cap * sizeof(int) );  
...  
62.     int count = set_primes( list , cap );  
...  
67. }
```


Exercise 11



```

...
32. int set_primes( int *list , int cap ){
33.     int idx=0;
...
44.             list = realloc( list , cap * sizeof(int) );
...
49.     return idx;
50. }
...
53. int main(){
...
57.     int *list = malloc( cap * sizeof(int) );
...
62.     int count = set_primes( list , cap );
...
67. }
```


Exercise 11



```

...
32. int set_primes( int *list , int cap ){
33.     int idx=0;
...
44.             list = realloc( list , cap * sizeof(int) );
...
49.         return idx;
50. }
...
53. int main(){
...
57.     int *list = malloc( cap * sizeof(int) );
...
62.     int count = set_primes( list , cap );
...
67. }
```

Exercise 11



primes.c

```
...
32. int set_primes( int *list , int cap ){
33.     int idx=0;
...
44.             list = realloc( list , cap * sizeof(int) );
...
49.         return idx;
50.     }
...
53. int main(){
...
57.     int *list = malloc( cap * sizeof(int) );
...
62.     int count = set_primes( list , cap );
...
67. }
```


Exercise 11

primes.c:
Fix #1

```
...
32. int *set_primes( int *list , int capacity , int *p_prime_count ){
33.     int idx;
...
44.             list = realloc(list, capacity * sizeof(int));
...
49.         *p_prime_count = idx;
50.         return list;
51.     }
...
54. int main() {
...
58.     int *list = malloc(capacity * sizeof(int));
...
63.     int prime_count;
64.     list = set_primes( list , capacity , &prime_count );
65.     printf( "Found %d primes in the range [2,%d]\n" , prime_count , MAX_CANDIDATE );
66.     printf( "First and last primes are %d and %d\n" , list[0] , list[ prime_count-1 ] );
...
69. }
```

```
>> valgrind ./a.out
...
==2203638== HEAP SUMMARY:
==2203638==     in use at exit: 0 bytes in 0 blocks
==2203638==   total heap usage: 12 allocs, 12 frees, 82,904 bytes allocated
==2203638==
==2203638== All heap blocks were freed -- no leaks are possible
...
```


Exercise 11



primes.c

```
...
32. int *set_primes( int *list , int cap , int *p_count ){
33.     int idx=0;
...
44.             list = realloc( list, cap * sizeof(int) );
...
49.         *p_count = idx;
50.     return list;
51. }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count;
64.     list = set_primes( list , cap , &count );
...
69. }
```

Exercise 11




```

...
32. int *set_primes( int *list , int cap , int *p_count ){
33.     int idx=0;
...
44.             list = realloc( list, cap * sizeof(int) );
...
49.         *p_count = idx;
50.         return list;
51.     }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count;
64.     list = set_primes( list , cap , &count );
...
69. }
```

Exercise 11


stack memory



primes.c

```
...
32. int *set_primes( int *list , int cap , int *p_count ){
33.     int idx=0;
...
44.             list = realloc( list, cap * sizeof(int) );
...
49.         *p_count = idx;
50.         return list;
51.     }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count;
64.     list = set_primes( list , cap , &count );
...
69. }
```


Exercise 11



```

...
32. int *set_primes( int *list , int cap , int *p_count ){
33.     int idx=0;
...
44.             list = realloc( list, cap * sizeof(int) );
...
49.     *p_count = idx;
50. }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count;
64.     list = set_primes( list , cap , &count );
...
69. }
```

Exercise 11




```

...
32. int *set_primes( int *list , int cap , int *p_count ){
33.     int idx=0;
...
44.             list = realloc( list, cap * sizeof(int) );
...
49.         *p_count = idx;
50.         return list;
51.     }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count;
64.     list = set_primes( list , cap , &count );
...
69. }
```

Exercise 11

stack memory



⋮



0

heap memory

```
...
32. int *set_primes( int *list , int cap , int *p_count ){
33.     int idx=0;
...
44.             list = realloc( list, cap * sizeof(int) );
...
49.         *p_count = idx;
50.         return list;
51.     }
...
54. int main() {
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count;
64.     list = set_primes( list , cap , &count );
...
69. }
```

Exercise 11

primes.c:


Fix #2

primes.c

```
...
32. int set_primes( int **p_list , int capacity ){
33.     int idx;
...
44.             *p_list = realloc( *p_list , capacity * sizeof(int) );
...
49.         return idx;
50. }
...
54. int main() {
...
58.     int *list = malloc(capacity * sizeof(int) );
...
63.     int prime_count = set_primes( &list , capacity );
64.     printf( "Found %d primes in the range [2,%d]\n" , prime_count , MAX_CANDIDATE );
65.     printf( "First and last primes are %d and %d\n" , list[0] , list[ prime_count-1 ] );
...
69. }
```

```
>> valgrind --leak-check=full --show-leak-kinds=all ./a.out
...
==2203638== HEAP SUMMARY:
==2203638==     in use at exit: 0 bytes in 0 blocks
==2203638==   total heap usage: 12 allocs, 12 frees, 82,904 bytes allocated
==2203638==
==2203638== All heap blocks were freed -- no leaks are possible
...
```


Exercise 11



primes.c

```
...
32. int *set_primes( int **p_list , int cap){
33.     int idx=0;
...
44.             *p_list = realloc( *p_list, cap * sizeof(int) );
...
49.         return idx;
50. }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count = set_primes( &list , cap , &count );
...
69. }
```

Exercise 11




```

...
32. int *set_primes( int **p_list , int cap){
33.     int idx=0;
...
44.             *p_list = realloc( *p_list, cap * sizeof(int) );
...
49.         return idx;
50.     }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count = set_primes( &list , cap , &count );
...
69. }
```

Exercise 11

stack memory



⋮




heap memory

```

...
32. int *set_primes( int **p_list , int cap){
33.     int idx=0;
...
44.             *p_list = realloc( *p_list, cap * sizeof(int) );
...
49.         return idx;
50.     }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count = set_primes( &list , cap , &count );
...
69. }
```


Exercise 11

stack memory



```
...
32. int *set_primes( int **p_list , int cap){
33.     int idx=0;
...
44.             *p_list = realloc( *p_list, cap * sizeof(int) );
...
49.         return idx;
50.     }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count = set_primes( &list , cap , &count );
...
69. }
```

Exercise 11



primes.c

```
...
32. int *set_primes( int **p_list , int cap){
33.     int idx=0;
...
44.             *p_list = realloc( *p_list, cap * sizeof(int) );
...
49.         return idx;
50.     }
...
54. int main(){
...
58.     int *list = malloc( cap * sizeof(int) );
...
63.     int count = set_primes( &list , cap , &count );
...
69. }
```

Outline

- Exercise 11
- Pointer operations
- Dynamic 2D arrays
- Pointers and `const`
- Review questions

Pointer arithmetic

- A pointer is an unsigned integer value indicating a location in memory.*

- We can add /subtract integers from a pointer (to get a new pointer):

b = a+2;

b -= 3;

b++;

etc.

- We can compute the difference between two pointers (to get a signed integer)**:

ptrdiff_t d = b-a;

- We can print out the value of a pointer:

printf("Address: %p\n" , (void*)a);

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int *b = a+2;

    return 0;
}
```

* The size of a pointer depends on the architecture.
On 64-bit architectures, it is eight bytes long

** ptridiff_t is a predefined type in stddef.h
designed to store the difference between pointers

Pointer arithmetic

- A pointer is an unsigned integer value indicating a location in memory.
 - We can add /subtract integers from a pointer

Q: What is the value of b?

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int *b = a+2;

    return 0;
}
```

Pointer arithmetic

- A pointer is an unsigned integer value indicating a location in memory.

- We can add /subtract integers from a pointer

Q: What is the value of b?

A: b is the address of the integer two in
from the start of the array

Note:

- The int two elements in from the start
of the array is 8 bytes away in memory
- Because the type of the pointer is known,
the compiler automatically deduces that
two int lengths correspond to 8 bytes

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int *b = a+2;
    printf( "%d %d\n" , *a , *b );
    return 0;
}
```

```
>> ./a.out
2 6
>>
```

Pointer arithmetic

- A pointer is an unsigned integer value indicating a location in memory.

- We can add /subtract integers from a pointer

Q: What is the value of b?

A: b is the address of the integer two in
from the start of the array

Note:

- The int two elements in from the start
of the array is 8 bytes away in memory
- Because the type of the pointer is known,
the compiler automatically deduces that
two int lengths correspond to 8 bytes
- Similarly, the difference between pointers is measured in units of elements

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int *b = a+2;
    printf( "%d %d\n" , a-b );
    return 0;
}
```

```
>> ./a.out
-2
>>
```

Pointer arithmetic

- A pointer is an unsigned integer value indicating a location in memory.

- We can add /subtract integers from a pointer

Q: What is the value of b?

A: b is the address of the integer two in
from the start of the array

Note:

- The int two elements in from the start
of the array is 8 bytes away in memory
- Because the type of the pointer is known,
the compiler automatically deduces that
two int lengths correspond to 8 bytes
- A pointer of type void* is treated as a raw memory address (w/o size information)

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int *b = a+2;
    void *_a = a , *_b = b;
    printf( "%d\n" , b-a );
    printf( "%d\n" , _b-_a );
    return 0;
}
```

```
>> ./a.out
2
8
>>
```

Pointer arithmetic

- If `ip` points to `int x`. Then `*ip` can be used anywhere that `x` makes sense:

$$\text{printf}(\text{"%d\n"}, *ip) \Leftrightarrow \text{printf}(\text{"%d\n"}, x)$$

- Unary ops `&` and `*` bind more tightly than binary arithmetic ops

$$*ip += 1 \Leftrightarrow x += 1$$

$$y = *ip + 1 \Leftrightarrow y = x+1$$

- [WARNING] unary operators associate from right to left

- `++*ip` is the same as `++x`
 - `*ip++` means something else

Pointer arithmetic

- A pointer is an unsigned integer value indicating a location in memory.

- We can add /subtract integers from a pointer

Q: So what does $*b++ = 0$ do?

A: It's a combination of four instruction:

1. Increment the pointer b,
2. Return the old pointer's value, *
3. Dereference that
4. Set it to zero

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int* b = a+2;
    *b++ = 0;
    printf( "%d %d %d %d : %d\n" ,
            a[0] , a[1] , a[2] , a[3] , *b );
    return 0;
}
```

```
>> ./a.out
2 4 0 8 : 8
>>
```

*Recall that post-increment/decrement returns the old value

Pointer arithmetic

- We can access a pointer by dereferencing

```
printf( "%d\n" , *b );
```

- We can access array elements with []

```
printf( "%d\n" , b[0] );
```

- Since pointers and arrays are essentially the same, these are the same operations!

- More generally $*(b+k)$ is the same as $b[k]$ for any integer k

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int* b = a+2;
    printf( "%d\n" , *b );
    printf( "%d\n" , b[0] );
    return 0;
}
```

```
>> ./a.out
6
6
>>
```

Pointer arithmetic

Though similar, arrays and pointers differ in a couple of ways:

1. The use of `sizeof`

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int* b = a;
    printf( "%d\n" , sizeof(a) );
    printf( "%d\n" , sizeof(b) );
    return 0;
}
```

```
>> ./a.out
16
8
>>
```

Pointer arithmetic

Though similar, arrays and pointers differ in a couple of ways:

1. The use of `sizeof`
2. Arrays are immutable

```
#include <stdio.h>
int main( void )
{
    int a[] = { 2 , 4 , 6 , 8 };
    int b = 10;
    a = &b;
    return 0;
}
```

```
>> gcc ...
foo.c: In function ‘main’:
foo.c:6:4: error: assignment to expression with array type
  6 |   a = &b;
     |   ^
>>
```

Outline

- Exercise 11
- Pointer operations
- Dynamic 2D arrays
- Pointers and `const`
- Review questions

Dynamic 2D arrays

Q: How do we dynamically declare a 2x3 grid of **int** values?

A1: Declare an array of 6 **int** values


A2: Declare an array (of size 2) containing **int** arrays (of size 3).

Dynamic 2D arrays

Recall:

If we statically declare a 2D array its contents are laid out sequentially in (stack) memory.

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int a2[2][3];
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[i][j] = 3*i+j;
    return 0;
}
```




Dynamic 2D arrays

Recall:

If we statically declare a 2D array its contents are laid out sequentially in (stack) memory.

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int a2[2][3];
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[i][j] = 3*i+j;
    return 0;
}
```




Dynamic 2D arrays

Recall:

If we statically declare a 2D array its contents are laid out sequentially in (stack) memory.

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int a2[2][3];
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[i][j] = 3*i+j;
    return 0;
}
```




Dynamic 2D arrays

Recall:

If we statically declare a 2D array its contents are laid out sequentially in (stack) memory.

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int a2[2][3];
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[i][j] = 3*i+j;
    return 0;
}
```



Dynamic 2D arrays

Declaring a 2x3 grid of int values:

1. Declare a single array of ints

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays

Declaring a 2x3 grid of int values:

1. Declare a single array of ints
 - Need to allocate/deallocate the int array

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```


Dynamic 2D arrays

Declaring a 2x3 grid of int values:

1. Declare a single array of ints
 - Need to allocate/deallocate the int array
 - ✗ Indexing is ugly


```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays



```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays



```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int *a2 = malloc( sizeof(int) * 2 * 3 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
        for( int j=0 ; j<3 ; j++ )
            a2[3*i+j] = 3*i+j;
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays

Declaring a 2x3 grid of int values:

1. Declare a single array of ints
2. Declare an array of int arrays

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays

Declaring a 2x3 grid of int values:

1. Declare a single array of ints
2. Declare an array of int arrays
 - Need to allocate/deallocate the array of int arrays

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays

Declaring a 2x3 grid of int values:

1. Declare a single array of ints
2. Declare an array of int arrays
 - Need to allocate/deallocate the array of int arrays
 - Need to allocate/deallocate each int array

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays

Declaring a 2x3 grid of **int** values:

1. Declare a single array of **ints**
 2. Declare an array of **int** arrays
 - Need to allocate/deallocate the array of **int** arrays
 - Need to allocate/deallocate each **int** array
- ✓ Indexing is clean

```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays


Declaring a 2x3 grid of **int** values:

1. Declare a single array of **ints**
 2. Declare an array of **int** arrays
 - Need to allocate/deallocate the array of **int** arrays
 - Need to allocate/deallocate each **int** array
- ✓ Indexing is clean

⇒ With dynamic allocation we can have (jagged/non-uniform) 2D arrays with different rows having different sizes.


```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays




```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays



```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Dynamic 2D arrays



```
#include <stdio.h>
#include <stdlib.h>
int main( void )
{
    int **a2 = malloc( sizeof(int*) * 2 );
    if( !a2 ) return 1;
    for( int i=0 ; i<2 ; i++ )
    {
        a2[i] = malloc( sizeof(int) * 3 );
        if( !a2[i] ) return 1;
        for( int j=0 ; j<3 ; j++ ) a2[i][j] = 3*i+j;
    }
    for( int i=0 ; i<2 ; i++ )
    {
        free( a2[i] );
        a2[i] = NULL;
    }
    free( a2 );
    a2 = NULL;
    return 0;
}
```

Outline

- Exercise 11
- Pointer operations
- Dynamic 2D arrays
- Pointers and **const**
- Review questions

Pointers and `const`

Recall:

When we use the `const` keyword, we are declaring a variable immutable.

```
#include <stdio.h>
int main( void )
{
    const int a = 5;
    a = 0;
    return 0;
}
```

```
>> gcc ...
foo.c:5:4: error: assignment of read-only variable 'a'
      |   a = 0;
      |
>>
```

Pointers and **const**

Q: When we use the **const** keyword with a pointer, who is immutable, the pointer or the pointee?

Pointers and `const`

A: It depends

- If the keyword `const` precedes the type, then the pointee is immutable.

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    const int *c = a;
    c[0] = b;
    return 0;
}
```

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    const int *c = a;
    c = &b;
    return 0;
}
```

Pointers and `const`

A: It depends

- If the keyword `const` precedes the type, then the pointee is immutable.

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    const int *c = a;
    c[0] = b;
    return 0;
}
```

```
>> gcc ...
foo.c: In function ‘main’:
foo.c:8:8: error: assignment of read-only location ‘*c’
  8 |     c[0] = b;
     ^

>>
```

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    const int *c = a;
    c = &b;
    return 0;
}
```

```
>> gcc ...
>>
```

Pointers and `const`

A: It depends

- If the keyword `const` follows the type, then the pointer is immutable.

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    int * const c = a;
    c[0] = b;
    return 0;
}
```

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    int * const c = a;
    c = &b;
    return 0;
}
```

Pointers and `const`

A: It depends

- If the keyword `const` follows the type, then the pointer is immutable.

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    int * const c = a;
    c[0] = b;
    return 0;
}
```

```
>> gcc ...
>>
```

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    int * const c = a;
    c = &b;
    return 0;
}
```

```
>> gcc ...
foo.c: In function ‘main’:
foo.c:8:5: error: assignment of read-only variable ‘c’
     8 |     c = &b;
          ^
>>
```

Pointers and `const`

A: It depends

- If the keyword `const` precedes and follows the type, both are immutable.

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    const int * const c = a;
    c[0] = b;
    return 0;
```

```
>> gcc ...
foo.c: In function ‘main’:
foo.c:8:8: error: assignment of read-only location ‘*c’
  8 |     c[0] = b;
     ^

>>
```

```
#include <stdio.h>
int main( void )
{
    int a[] = { 1 , 2 , 3 };
    int b = 0;
    const int * const c = a;
    c = &b;
    return 0;
```

```
>> gcc ...
foo.c: In function ‘main’:
foo.c:8:5: error: assignment of read-only variable ‘c’
  8 |     c = &b;
     ^

>>
```

Outline

- Exercise 11
- Pointer operations
- Dynamic 2D arrays
- Pointers and `const`
- Review questions

Review questions

1. What output is printed by the code below?

```
int arr[] = { 94, 69, 35, 72, 9 };
int *p = arr;
int *q = p + 3;
int *r = q - 1;
printf( "%d %d %d\n" , *p , *q , *r );
ptrdiff_t x = q - p;
ptrdiff_t y = r - p;
ptrdiff_t z = q - r;
printf( "%d %d %d\n" , (int)x , (int)y , (int)z );
ptrdiff_t m = p - q;
printf( "%d\n" , (int)m );
int c = ( p < q );
int d = ( q < p );
printf( "%d %d\n" , c , d );
```

p points to arr[0]=94
q points to arr[3]=72
r points to arr[2]=35

```
>> ./a.out
94 72 35
3 2 1
-3
1 0
```

Review questions

2. Assume that `arr` is an array of 4 `int` elements. Is the code
`int *p = arr + 5;`
legal?

Yes. (It's the accessing that's the problem)

Review questions

3. Assume that `arr` is an array of 4 `int` elements. Is the code

```
int *p = arr + 5;  
printf( "%d\n" , *p );
```

legal?

No. (It's the accessing that's the problem)

Review questions

4. What output is printed by the code below?

```
#include <stdio.h>
int sum( int a[], int n )
{
    int x = 0;
    for ( int i=0 ; i<n ; i++ ) x += a[i];
    return x;
}
int main( void )
{
    int data[] = { 23 , 59 , 82 , 42 , 67 , 89 , 76 , 44 , 85 , 81 };
    int result = sum( data + 3 , 4 );           Passing in the sub-array a[] = {42,67,89,76}
    printf( "result=%d\n" , result );
    return 0;
}
```

>> ./a.out
result = 274

Review questions

5. Suppose that we have variables:

```
int ra1[10] = { 1 , 2 , 3 };  
int *ra2 = ra1;
```

and

```
int fun( int *ra );
```

declaration.

Will

```
fun( ra1 );  
fun( ra2 );
```

compile?

What if we change the function declaration to

```
int fun( const int ra[] );
```

Yes and yes.

Exercise 12

- Website -> Course Materials -> Exercise 12